SAFETY FORGES
EXCELLENCE

ANTENG

FOCUS · COURAGE · TRUST · PASSION

**ZHEJIANG ANTENG SAFETY PROTECTION EQUIPMENT CO.,LTD**

SVC. HOTLINE: 400-889-3158
TEL: 0577-65151799
WEB: www.anteng.com
E-MAIL: anteng@zjanteng.com
ADD: No. 99, Kaifa 6th Road, Economic Development Zone, Ruian City, Zhejiang

扫一扫添加“浙江安腾”
了解更多行业产品信息



ANTENG

# 2025

# FOOT PROTECTION
## PRODUCT CATALOG

**ZHEJIANG ANTENG SAFETY PROTECTION EQUIPMENT CO.,LTD**




# CONTENTS
## 目录


01 About ANTENG 01-12
关于安腾

02 PU Series 13-36
PU系列

03 MD Series 37-52
MD系列

04 Rubber Series 53-58
橡胶系列

05 Accessory 59-62
防护配件

06 Executive Series 63-76
行政系列




# BRAND STORY

## ANTENG BRAND STORY

Established in Wenzhou, China in 2006, **ANTENG** has remained committed to its mission of “Strive For Occupational Health And Safety."As an industry leader specializing in the R&D, production, and sales of occupational safety footwear, we manufacture over 2 million pairs of functional safety shoes annually.

Backed by a 50+ member expert technical team, we provide complimentary workplace safety risk assessments, identifying potential hazards and delivering tailor-made safety solutions to help clients optimize procurement costs. Our products are exported to 20+ countries and regions across Europe, the Americas, Africa, and Asia, serving 500+ direct clients in industries including machinery, metallurgy, chemicals, petroleum, power, and hospitality.

Committed to global excellence, **ANTENG** is a pioneer in obtaining certifications such as: EU CE EN ISO 20345:2022、ANSI、ISO 9001:2015、China GB 21148-2020.These creden- tials reinforce our competitive edge in worldwide markets.

"Safety Forges Excellence!" is more than our brand ethos — it’s a solemn promise to workers everywhere. By integrating cutting-edge technology (smart sensors), eco-conscious materials (recyclable components), ergonomic comfort, and modern aesthetics, **ANTENG** has redefined industrial safety footwear as a fusion of protection, innovation, and style.

We invite global partners to join us in building a safer, smarter, and more sustainable future of work.

www.anteng.com

# 企业文化
# CORPORATE CULTURE

BRAND PHILOSOPHY
**SAFETY FORGES EXCELLENCE**
**ANTENG** empowers users with a meticulous, focused work ethic and a positive, uplifting lifestyle through our high-quality products.

CORPORATE MISSION
**Strive For Occupational Health And Safety**

CORE VALUES
**·United in Vision**
**·Collaborative in Success**
**·Precision Crafted**
**·Trust Earned**

CORPORATE SPIRIT
**Focus · Courage · Trust · Passion**

www.anteng.com





品牌理念

# BRAND PHILOSOPHY





**ANTENG** is committed to delivering meticulous professionalism and a positive lifestyle through high-quality products and services. The brand embodies the philosophy of "Safety Forges Excellence!", driving innovation in product design by integrating eco-technologies and advanced materials into occupational safety equipment. This enhances comfort, safety, style, and sustainability.

Guided by its mission -"Strive for occupational health and safety" — **ANTENG** adheres to the principles of focus,innovation, and technological advancement. We deeply understand industry-specific hazards, identify precise safety needs, and deliver tailored protective solutions that:Reduce procurement costs、Minimize workplace accidents、Ignite work passio、Boost productivity.Ultimately, we empower enterprises to achieve safer and more sustainable growth.

## PU Series


GongJiang


AnShang


AnShangB


AnJian


CHPPE


BaiSu


JieDeng


AnTuo

## Rubber Series


DaXiong


HuaGong

## MD Series


XiangCheng


AnTu


AnYue


AnYun


AnXing


FangZheng

## PU Rubber Series


AnYao


AnSu


AnDeng





产品理念

# PRODUCT PHILOSOPHY



**ANTENG** advocates low-carbon and eco-friendly principles, embedding sustainability into both corporate operations and product design.
By adopting energy-efficient production methods and environmentally responsible material choices, we drive the growth of the green economy, delivering greater value to society and the ecosystem.



# CORE VAL UES OF CUL TURE

SUSTAINABILITY IS THE CORE VALUE OF
**ANTENG** CULTURE

WE USE ECO-FRIENDLY RAW MATERIALS FOR LONG-TERM SUSTAINABLE DEVELOPMENT.

BY HARNESSING CLEAN ENERGY, WE HELP ALLEVIATE ENVIRONMENTAL IMPACT.

**ANTENG**
IS DEDICATED TO
GREEN THINKING



CONTINUOUSLY SEEKING SUSTAINABLE SOLUTIONS ACROSS EVERY STAGE OF PRODUCTION.





WE UPHOLD A LOW-CARBON PHILOSOPHY, ENSURING THAT GREATER BENEFITS ARE SHARED BY ALL, INCLUDING FUTURE GENERATIONS.



AS WE MOVE FOR-WARD, WE ADOPT ECOLOGICAL MATERIALS, STRIVE TO REACH CARBON PEAKING, PURSUE SUSTAINABLE GROWTH, AND ULTI-MATELY ACHIEVE CARBON NEUTRALITY—EMBRACING THE FUTURE AHEAD.

# THREE STEP CIRCULAR ECONOMY

②Remanufacture

①Recycle Waste Materials




③Reintroduce into the Market







Protecting the Natural Environment with Safe, Sustainable Materials




## IT IS NOT JUST A PAIR OF SHOES

He is rough, durable, comfortable, and also low-carbon.
ANTENG adheres to the craftsmanship of craftsmen and integrates the concept of sustainable development, adding pollution-free recycled plastics to product supply materials. This is not only a small step in environmental innovation, but also a big step in responding to the national call for low-carbon environmental protection.



# 选择我们 CHOOSE US

## CORE ADVANTAGES

### • Technology Innovation and R&D

**ANTENG** consistently pioneers the application of eco-friendly advanced materials, crafting comfortable and high-performance protective products with professional functionality, earning numerous technology patents and prestigious design awards.

### • Precision Safety Solutions

**ANTENG** delivers professional, precision-engineered solutions by deeply analyzing industry- and trade-specific risks, identifying critical occupational hazards, and tailoring protection strategies to each client's unique needs.



## How Can We Serve You?

1.With over 50 senior technical experts, we provide complimentary workplace safety risk assessments for clients, identifying potential hazards and delivering precise safety solutions to effectively reduce procurement costs.

2.Our four intelligent warehousing centers (Guangzhou, Shanghai, Jiangsu, Shandong) span 20,000+ square meters, maintaining:100,000+ pairs of safety shoes、200,000+ protective equipment units、48-hour rapid global response capability.

3.All products carry authoritative certifications and test reports, exceeding industry standards with compliance to:EU CE EN ISO 20345:2022、ANSI Standards、ISO 9001:2015、China GB 21148-2020.

# PU SERIES

# PU系列安全鞋

Every Step, Empowered!
PU Safety Boots
Conquer Every Challenge With Ease!



ANTENG
SAFETY FORGES EXCELLENCE

## Applicable scenarios

Applicable to aviation ground support, chemical processing, power grids, food production,automotive / mechanical manufacturing, warehousing/logistics, steel metallurgy, and related industries.










## A8261



S1/S1P/SB+I/SBP+I

**Upper:** Embossed Cow Leather
**Lining:** Artificial Fiber
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit /Steel Toecap
**Midsole:** Steel Plate
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A8131B



S1/S1P/SB+I/SBP+I

**Upper:** Microfiber Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit /Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## T502



S1P/SBP+I

**Upper:** Embossed Cow Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit /Steel Toecap
**Midsole:** Steel Plate/Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020



## A8180



S1/S1P ESD/SB+I

**Upper:** Microfiber Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit /Steel Toecap
**Midsole:** Steel Plate/Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Anti-Puncture · Oil Resistance · Anti-Slip · Shock Absorption · Anti-Static · Electric Insulation

## GJG7



S1/S1P

**Upper:** Microfiber Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit /Steel Toecap
**Midsole:** Steel Plate
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Anti-Puncture · Oil Resistance · Anti-Slip · Shock Absorption · Anti-Static

## A19009



SB+I/S1/S1P/SBP+I

**Upper:** Microfiber Leather  Mesh
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit /Steel Toecap
**Midsole:** Steel Plate
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Anti-Puncture · Oil Resistance · Anti-Slip · Shock Absorption · Anti-Static · Electric Insulation






## AG8160



SBP+I

**Upper:** Cow Suede Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Anti-Puncture · Oil Resistance · Anti-Slip · Shock Absorption · Electric Insulation

## A8521



SB+I/SBP+I

**Upper:** Cow Suede Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit /Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Anti-Puncture · Oil Resistance · Anti-Slip · Shock Absorption · Anti-Static · Electric Insulation

# CIRCULATING BREATHABILITY

## 循环透气帮面，每一步都能呼吸






## A9805-1




**S1/SBP**

**Upper:** Cow Suede Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Steel Toecap
**Midsole:** Steel Plate
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A9180




**SB+I/S1P ESD**

**Upper:** Cow Suede Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit /Steel Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020








## A8518



SBP

**Upper:** Embossed Cow Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Steel Toecap
**Midsole:** Steel Plate
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A8516




S1P

**Upper:** Microfiber Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A9699




S1/S1P/SB+I

**Upper:** Embossed Cow Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Steel Toecap
**Midsole:** Steel Plate/Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020



# SAFETY
## 雄心壮志者的终极盔甲





## A8820

DESMA

ESD

SBP+I/S1P ESD

**Upper:** Cow Suede Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/Rubber
**Toecap:** Composit Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020
















### Front Tooth Profile Area
Enhanced safety for squatting and climbing, featuring an upward toe curve to reduce trip hazards.

### Forefoot Anti-Slip Area
Firmly grasp the stressed surface and adapt to slippery scenes

### Outer Water Diversion Area
Rapid removal of sludge and sewage, stable and safe

### Mid-Rise Anti-Slip Area
Climbing and walking are safer

### Heel Anti-Slip Area
Firmly grasp the stressed surface and adapt to slippery scenes





## Sandwich Mesh

Breathable Mesh

Stretch Fibers

Tear-Resistant Cloth

## AS05







**S1/SB+I/S1P ESD**

**Upper:** Corn Kernel Fabric
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit /Steel Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## AS08





**S1/SB+I/S1P**

**Upper:** Sandwich Mesh
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit /Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020






ANTENG
SAFETY FORGES EXCELLENCE



## BREATHABLE
## 舒适透气




## AT8066




SB

**Upper:** Smooth Cow Leather
**Lining:** Canberra
**Insole:** PU
**Outsole:** PU/PU
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 37-48
EN ISO 20345:2022 | GB 21148-2020




## AT8065




SB

**Upper:** Crazy Horse Leather
**Lining:** Canberra
**Insole:** PU
**Outsole:** PU/PU
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 37-48
EN ISO 20345:2022 | GB 21148-2020




## AT123



SB

**Upper:** Crazy Horse Leather
**Lining:** Mesh  Waterproof Socks
**Insole:** PU
**Outsole:** PU/Rubber
**Toecap:** Composit Toecap
**Midsole:** /
**Size:** 36-48
EN ISO 20345:2022 | GB 21148-2020




## AT505



SBP

**Upper:** Crazy Horse Leather
**Lining:** Twill Mesh
**Insole:** PU
**Outsole:** PU/Rubber
**Toecap:** Steel Toecap
**Midsole:** Kavlar
**Size:** 37-48
EN ISO 20345:2022 | GB 21148-2020




## AT508



SB+I/S1P ESD

**Upper:** Crazy Horse Leather
**Lining:** Sandwich Mesh
**Insole:** PU
**Outsole:** PU/Rubber
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020



## AT125



SB

**Upper:** Oil Nubuck Leather
**Lining:** Mesh Wear-Resistant Leather
**Insole:** PU
**Outsole:** PU/Rubber
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Anti-Puncture · Oil Resistance · Anti-Slip · Shock Absorption

## AT126



SB

**Upper:** Crazy Horse Leather
**Lining:** Mesh Wear-Resistant Leather
**Insole:** PU
**Outsole:** PU/Rubber
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Anti-Puncture · Oil Resistance · Anti-Slip · Shock Absorption

## AT501



YKK Zipper



S1P

**Upper:** Nubuck Leather
**Lining:** Twill Mesh
**Insole:** PU
**Outsole:** PU/Rubber
**Toecap:** Steel Toecap
**Midsole:** Kavlar
**Size:** 37-48
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Anti-Puncture · Oil Resistance · Anti-Slip · Shock Absorption · Anti-Static

## AT506

NEW DESIGN



S3

**Upper:** Crazy Horse Leather
**Lining:** Water Corrugated Mesh Socks
**Insole:** PU
**Outsole:** PU/Rubber
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Oil Resistance · Anti-Slip · Shock Absorption

## AT506-2

NEW DESIGN



S3

**Upper:** Crazy Horse Leather
**Lining:** Water Corrugated Mesh Socks
**Insole:** PU
**Outsole:** PU/Rubber
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 36-48
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Oil Resistance · Anti-Slip · Shock Absorption

## AT2501-2

NEW DESIGN



SB

**Upper:** Crazy Horse Leather
**Lining:** Sandwich Mesh
**Insole:** PU
**Outsole:** PU/Rubber
**Toecap:** Composit Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Oil Resistance · Anti-Slip · Shock Absorption




## AT1004



S3

**Upper:** Full Grain Leather
**Lining:** Sandwich Mesh
**Insole:** PU
**Outsole:** PU/Rubber
**Toecap:** Composit Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Oil Resistance · Anti-Slip · Shock Absorption

## AT1002



S3

**Upper:** Crazy Horse Leather
**Lining:** Water Corrugated Mesh Socks
**Insole:** PU
**Outsole:** PU/Rubber
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Oil Resistance · Anti-Slip · Shock Absorption

## A1806



SB

**Upper:** Microfiber Suede  Mesh
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Oil Resistance · Anti-Slip · Shock Absorption

## A1818



SB

**Upper:** Microfiber Suede
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash · Water Resistant · Oil Resistance · Anti-Slip · Shock Absorption

ANTENG
SAFETY FORGES EXCELLENCE

## A1813





SB

**Upper:** Microfiber Suede  Mesh
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Composit Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A1819




SB

**Upper:** Microfiber Suede
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A1815




SB

**Upper:** Microfiber Suede
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A5508








SB

**Upper:** Scrub Microfiber Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A1816-2




SB

**Upper:** Microfiber Suede
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A5509







S1P

**Upper:** Cow Suede Leather  Mesh
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Steel Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020



ANTENG
SAFETY FORGES EXCELLENCE

# FEARLESS OF WIND AND RAIN

## A5518



SB

**Upper:** Microfiber Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A5519



SB

**Upper:** Microfiber Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** PU/PU
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020



# MD
# SERIES
## MD系列安全鞋



ANTENG
SAFETY FORGES EXCELLENCE

## Applicable scenarios

Applicable to aviation ground support, electronics assembly, chemical/petrochemical, power utilities, food processing, automotive/telecom industries, and mechanical operations.








## A9611



S1/O1 ESD/S1P ESD SRC

**Upper:** Microfiber Leather Mesh
**Lining:** Mesh Wear-Resistant Leather
**Insole:** Hyperelastic Sponge
**Outsole:** MD
**Toecap:** Composit /Steel Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A18081



S1/SBP+I SRC

**Upper:** Flyknit
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** MD
**Toecap:** Composit /Steel Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A9616





SBP+I SRC

**Upper:** Microfiber Leather Mesh
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** MD
**Toecap:** Composit Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## AC001



SB+I/S1P ESD SRC

**Upper:** Mesh KPU
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** MD
**Toecap:** Steel Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020






SRC

GB 21148-2020

CE

EN ISO 20345:2022

**Rubber Layer**
High Temperature, Oil, and Corrosion Resistance

**EVA Layer**
100kg Load with 5mm Rebound

**Steel Shank**
Prevents Sprains & Reduces Fatigue

**Electrostatic wires**
Dissipate Accumulated Static Electricity from the Body

**Toecap Base**
Toe Protection to Prevent Dents





## BH05



SBP+I SRC

**Upper:** Microfiber Leather  Mesh
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** MD
**Toecap:** Composit /Steel Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## AT006



SB+I/SBP+I SRC

**Upper:** Cow Suede Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** MD
**Toecap:** Composit Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## AT1802



S1P SRC

**Upper:** Full Grain Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** MD
**Toecap:** Composit Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020






ANTENG
SAFETY FORGES EXCELLENCE

# SECURITY IS IMPECCABLE

## 安全无懈可击



## AT1801



S1P SRC

**Upper:** Full Grain Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** MD
**Toecap:** Composit Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## AT801-2




S1P SRC

**Upper:** Nubuck Leather
**Lining:** Twill Mesh
**Insole:** PU
**Outsole:** MD
**Toecap:** Steel Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## AT115



SB SRC

**Upper:** Crazy Horse Leather
**Lining:** Sandwich Mesh
**Insole:** PU
**Outsole:** MD
**Toecap:** Composit Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## AT116



SB SRC

**Upper:** Crazy Horse Leather
**Lining:** Sandwich Mesh
**Insole:** PU
**Outsole:** MD
**Toecap:** Composit Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## AT118



SB SRC

**Upper:** Nubuck Leather
**Lining:** Sandwich Mesh
**Insole:** PU
**Outsole:** MD
**Toecap:** Composit Toecap
**Midsole:** /
**Size:** 34-41
EN ISO 20345:2022 | GB 21148-2020




## AT119



SB SRC

**Upper:** Crazy Horse Leather
**Lining:** Sandwich Mesh
**Insole:** PU
**Outsole:** MD
**Toecap:** Composit Toecap
**Midsole:** /
**Size:** 34-41
EN ISO 20345:2022 | GB 21148-2020



# LIGHT AS SNEAKERS
# TOUGH AS ARMOR

## 轻若跑鞋 固若装甲









## A8509

NEW DESIGN






SB SRC

**Upper:** Scrub Microfiber Leather
**Lining:** BK Mesh
**Insole:** High-Elasticity PU
**Outsole:** MD
**Toecap:** Composit Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A8809

NEW DESIGN








I SRC

**Upper:** Microfiber Suede
**Lining:** Sandwich Mesh
**Insole:** PU Cotton
**Outsole:** MD
**Toecap:** Toe counter
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A8901

NEW DESIGN






SB SRC

**Upper:** Scrub Microfiber Leather
**Lining:** BK Mesh
**Insole:** PU Cotton
**Outsole:** MD
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020



# RUBBER SERIES

# 橡胶系列安全鞋



ANTENG

SAFETY FORGES EXCELLENCE

## Applicable scenarios

Suitable for industries including automotive manufacturing, construction sites, machinery production, metal metallurgy, chemical processing, petroleum extraction, warehousing & logistics, and iron & steel metallurgy.



ANTENG
SAFETY FORGES EXCELLENCE

# SAFETY

SAFETY FORGES EXCELLENCE

OIL & CORROSION RESISTANT

## A9996




**S1/S1P** SRC

**Upper:** Microfiber Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** Rubber
**Toecap:** Steel Toecap
**Midsole:** Steel Plate
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A9995




**S1P** SRC

**Upper:** Nubuck Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** Rubber
**Toecap:** Steel Toecap
**Midsole:** Steel Plate
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020








## AT601



SB+I | SRC

**Upper:** Nubuck Leather
**Lining:** Twill Mesh
**Insole:** PU
**Outsole:** Rubber
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A9655



SB+I/S1P/SBP | SRC

**Upper:** Microfiber Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** Rubber
**Toecap:** Composit /Steel Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## AT601-2



SB+I | SRC

**Upper:** Full Grain Leather
**Lining:** Twill Mesh
**Insole:** PU
**Outsole:** Rubber
**Toecap:** Steel Toecap
**Midsole:** /
**Size:** 37-48
EN ISO 20345:2022 | GB 21148-2020




## AX9101



SB+I/SBP/SBP+I | SRC

**Upper:** Cow Suede Leather
**Lining:** Sandwich Mesh
**Insole:** Hyperelastic Sponge
**Outsole:** Rubber
**Toecap:** Composit /Steel Toecap
**Midsole:** Kavlar
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## AT701



I | SRC

**Upper:** Nubuck Leather
**Lining:** Printed Cotton Fabric
**Insole:** PU
**Outsole:** Rubber
**Toecap:** /
**Midsole:** /
**Size:** 37-48
EN ISO 20345:2022 | GB 21148-2020



ANTENG
SAFETY FORGES EXCELLENCE

# PROTECTIVE ACCESSORIES
# 防护配件

SAFETY
防患于未然

## A9379




**Upper:** Microfiber Leather
**Inner:** Fiberglass
**Size:** One-size-fits-all
**Weight:** Around 213g
**Function:** Anti-Smash
EN ISO 12568

## A8856



**Upper:** Smooth Cow Leather
**Outsole:** PU
**Toecap:** Steel Toecap
**Size:** One-size-fits-all
**Weight:** /
**Function:** Anti-Smash | Spark-Proof
Corrosion-Resistant
EN ISO 12568



## Cotton Mid-Crew Socks

Material : Cotton Fiber
Size : One-size-fits-all




## PU Insole

Material : Mesh PU
Size : 37-48
















## Canvas Workwear Bag

Material : Canvas
Size : Around 43.5cmx33.5cm

ANTENG
SAFETY FORGES EXCELLENCE

# EXECUTIVE SERIES

# 行政系列

## Applicable scenarios

Suitable for business offices, aerospace research, municipal construction, daily commuting, ceremonial events, and service management industries.








# EXECUTIVE SERIES
# 男式行政皮鞋





## A8530



**I/O1**

**Upper:** Embossed Calf Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU Ox-Tendon
**Toecap:** /
**Midsole:** /
**Size:** 35-45
EN ISO 20345:2022 | GB 21148-2020




## A6218



**I**

**Upper:** Embossed Calf Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A6223



**I**

**Upper:** Little Scalpers Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020







Anti-Slip Patent




## A6226



I

**Upper:** Little Scalpers Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## A6228



I

**Upper:** Little Scalpers Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020





# ELITE TEMPERAMENT

## 步履之间 尽显风度

Crafted with premium breathable fabric that conforms to foot contours, delivering natural, effortless comfort with every step. Lightweight yet supportive, it ensures all-day ease—empowering confident strides in every business setting.

ANTENG
SAFETY FORGES EXCELLENCE

### A6221



I

**Upper:** Little Scalpers Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash Oil Resistance Anti-Slip Shock Absorption Electric Insulation

### A6201



I

**Upper:** Little Scalpers Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash Oil Resistance Anti-Slip Shock Absorption Electric Insulation

### A6203



I

**Upper:** Little Scalpers Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash Oil Resistance Anti-Slip Shock Absorption Electric Insulation

### A6225



I

**Upper:** Little Scalpers Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash Oil Resistance Anti-Slip Shock Absorption Electric Insulation

# EXECUTIVE SERIES
# 女式行政皮鞋



ANTENG
SAFETY FORGES EXCELLENCE




## AX8802



**Upper:** Nappa
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU Rubber Patch
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## AX8803



**Upper:** Nappa
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU Rubber Patch
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020






## AX8806



**Upper:** Little Scalpers Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU Rubber Patch
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash Oil Resistance Anti-Slip Shock Absorption Electric Insulation

## AX8808



**Upper:** Little Scalpers Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU Rubber Patch
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash Oil Resistance Anti-Slip Shock Absorption Electric Insulation

## AX8810



**Upper:** Little Scalpers Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU Rubber Patch
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash Oil Resistance Anti-Slip Shock Absorption Electric Insulation

## AX8809



**Upper:** Little Scalpers Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU Rubber Patch
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

Anti-Smash Oil Resistance Anti-Slip Shock Absorption Electric Insulation







## AX8801



**Upper:** Nappa
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU Rubber Patch
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## AX5211



**Upper:** Little Scalpers Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU Rubber Patch
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020




## AX5216



**Upper:** Little Scalpers Leather
**Lining:** Pigskin
**Insole:** Pigskin
**Outsole:** PU Rubber Patch
**Toecap:** /
**Midsole:** /
**Size:** 35-46
EN ISO 20345:2022 | GB 21148-2020

